

Forbs, Ferns, Grasses & Sedges

Reference list: Not all plants are available every year in the Plant Sale.

| Name | Bloom Period | Colors | Height | Spread | Sun | Tolerance | Water |
|---|--------------------|--------------|----------|---------|-----------------|-------------|---------|
| FERNS | | | | | | | |
| Adiantum pedatum (Maidenhair Fern) | | | 1.5' | | Part Shade | Deer Rabbit | Med Wet |
| Athyrium filix-femina (Lady Fern) | | | 2' | | Part Shade | Deer Rabbit | Med |
| Dryopteris disjuncta (Oak Fern) | | | 1-1.5' | 1-1.5' | Part Shade | Deer Rabbit | Med Wet |
| Dryopteris marginalis (Leatherwood Fern) | | | 2' | | Part Shade | Deer Rabbit | Med |
| Matteuccia struthiopteris (Ostrich Fern) | | | 4-6' | | Part Shade | Deer Rabbit | Med Wet |
| Onoclea sensibilis (Sensitive Fern) | | | 1-2' | | Part Shade | Deer Rabbit | Med Wet |
| Osmunda cinnamomea (Cinnamon Fern) | | | 3' | | Full Part Shade | Deer Rabbit | Med Wet |
| Osmunda claytoniana (Interrupted Fern) | | | 3-5' | | Part Shade | | Med |
| Osmunda regalis (Royal Fern) | | | 4-5' | | Part Shade | Deer Rabbit | Med Wet |
| Polystichum acrostichoides (Christmas Fern) | | | 2' | | Part Shade | Deer Rabbit | Dry Med |
| FORBS | | | | | | | |
| Acorus americanus (Sweet Flag) | May June | White | 3' | 1.5-2' | Full | | Med Wet |
| Actaea pachypoda (White Baneberry) | May June | White | 1.5-2.5' | 2-3' | Part Shade | Deer | Med |
| Actaea rubra (Red Baneberry) | May June | White | 2' | 1-1.5' | Part Shade | | Med |
| Agastache foeniculum (Anise Hyssop)*** | June July Aug Sept | Blue | 2-4' | 1' | Full Part | Deer Rabbit | Med |
| Allium cernuum (Nodding Wild Onion) | July Aug | Pink | 1-2' | .25-.5' | Full Part | Deer | Med |
| Allium tricoccum (Wild Leek) | June July | White | .5-1' | .5-1' | Part Shade | Deer | Med Wet |
| Amorpha canescens (Lead Plant) | June July | Purple White | 2-3' | 2-2.5' | Full Part | Deer | Dry Med |
| Anemone Canadensis (Canada Anemone) | May June | White | 1-2' | 2-2.5' | Full Part Shade | Deer | Med |
| Anemone patens (Pasque Flower) | April May | Purple | .5' | .5' | Full Part | | Dry Med |
| Angelica atropurpurea (Great Angelica) | May June | White | 4-6' | 2-6' | Full Part | Deer | Med Wet |
| Antennaria plantaginifolia (Pussytoes) | April May | White | 1' | 1' | Full | Rabbit | Dry Med |
| Aquilegia canadensis (Columbine) | April May June | Red Yellow | 2-3' | 1-1.5' | Full Part Shade | Deer Rabbit | Dry Med |
| Arisaema dracontium (Green Dragon) | May June | Green | 1-3' | 1-3' | Part Shade | Deer | Med Wet |

***Non-native here, native further north



| Name | Bloom Period | Colors | Height | Spread | Sun | Tolerance | Water |
|--|--------------------|--------------|--------|----------|-----------------|--------------|---------|
| Arisaema triphyllum (Jack-In-The-Pulpit) | April May | Green Purple | 1-2' | 1-1.5' | Part Shade | Deer | Med Wet |
| Asarum canadense (Wild Ginger) | April May | Purple | .5-1' | 1-1.5' | Part Shade | Deer | Med Wet |
| Asclepias exaltata (Poke Milkweed) | July June | White | 5' | 2-3' | Part Shade | Deer | Dry Med |
| Asclepias hirtella (Tall Green Milkweed) | July Aug | Green White | 3-5' | 1' | Full Part Shade | Deer | Dry Med |
| Asclepias incarnata (Red Milkweed) | July Aug | Pink | 4-5' | 2-3' | Full | Deer | Med Wet |
| Asclepias sullivantii (Sullivant's Milkweed) | June July Aug | Pink | 3' | 2' | Full | Deer | Wet Med |
| Asclepias syriaca (Common Milkweed) | June July Aug | Pink Purple | 2-5' | 2-3' | Full | Deer | Dry Med |
| Asclepias tuberosa (Butterfly Weed) | June July Aug | Orange | 2-3' | 2-3' | Full Part | Deer | Dry Med |
| Asclepias verticillata (Whorled Milkweed) | June July Aug | White | 1-3' | 1-2' | Full | Deer | Dry Med |
| Asclepias viridiflora (Short Green Milkweed) | July | Green | 1' | 1' | Full | | Dry |
| Asclepius purpurescens (Purple Milkweed) | June July | Purple | 3' | 1' | Full Part | | Med Wet |
| Aster azureus (Sky-Blue Aster) | Aug Sept Oct | Blue | 2-3' | 2-2.5' | Full Part | | Dry Med |
| Aster ericoides (Heath aster) | Aug Sept Oct | White | 1.5-2' | 1.5-2' | Full | | Dry Med |
| Aster laevis (Smooth Aster) | Aug Sept Oct | Blue | 3-4' | 1.5-2' | Full Part | | Dry Med |
| Aster novae-angliae (New England Aster) | Aug Sept Oct | Blue Purple | 3-6' | 2-3' | Full Part | | Med Wet |
| Aster puniceus (Swamp Aster) | Aug Sept Oct | Purple | 4-6' | 2-3' | Full Part | | Wet |
| Aster sericeus (Silky Aster) | Sept Oct | Purple | 1.5' | 2-3' | Full | | Dry |
| Aster shortii (Short's Aster) | Aug Sept Oct | Blue | 3' | 2' | Part Shade | | Dry Med |
| Baptisia leucantha (White Wild Indigo) | June July | White | 3-5' | 2-2.5' | Full Part | | Dry Med |
| Blephilia ciliata (Downy Wood Mint) | June July | Blue Purple | 1-2.5' | .75-1.5' | Full Part | Deer Rabbit | Dry Med |
| Blephilia hirsuta (Hairy Wood Mint) | June July Aug | White | 1-2.5' | .75-1.5' | Full Part | Deer Rabbit | Med |
| Caltha palustris (Marsh Marigold) | April May June | Yellow | 12-14" | 1-1.5' | Full Part | Deer | Wet |
| Campanula americana (Tall Bellflower) | July Aug Sept Oct | Blue | 2-6' | 1-2' | Part Shade | | Med |
| Campanula rotundifolia (Harebell) | June July Aug Sept | Blue | 1-2' | .5-1' | Full Part | Deer | Dry Med |
| Caulophyllum thalictroides (Blue Cohosh) | April May | Green Yellow | 1-2' | .5-1' | Part Shade | Deer | Med |
| Ceanothus americanus (New Jersey Tea) | June July | White | 1-3' | 2-4' | Full | Black Walnut | Dry Med |
| Chelone glabra (White Turtlehead) | July Aug Sept | White | 3' | 1-2' | Full Part | Deer | Wet |
| Claytonia virginica (Spring Beauty) | April | Pink White | .5-.75 | .5-.75 | Full Part | | Med |
| Clematis virginiana (Virgin's Bower) | July Aug Sept | White | 6-9' | | Part Shade | | Med |



| Name | Bloom Period | Colors | Height | Spread | Sun | Tolerance | Water |
|---|----------------|-------------------|--------|--------|-----------------|-------------|---------|
| Coreopsis palmata (Prairie Coreopsis) | June July | Yellow | 2-3' | 1.5-2' | Full | Deer | Dry Med |
| Dentaria laciniata (Toothwort) | April May | White | 3-10" | .5-.75 | Part Shade | | Med Wet |
| Desmodium canadense (Showy Tick Trefoil) | July August | Pink | 2-5' | 1-2' | Full | | Med Wet |
| Dicentra cucullaria (Dutchman's Breeches) | April May | White | 12" | 1' | Shade | | Med Wet |
| Dodecatheon meadia (Shooting Star) | May June | Pink White | 1-2' | .75-1' | Full Part | Deer | Med |
| Echinacea pallida (Pale Purple Coneflower) | June July | Purple | 2-5' | 1-1.5' | Full | Deer | Dry Med |
| Echinacea purpurea (Purple Coneflower) | June July Aug | Purple | 2-4' | 1.5-2' | Full Part | Deer | Med |
| Eryngium yuccifolium (Rattlesnake Master) | July Aug | White | 2-4' | 2-3' | Full | Deer | Dry Med |
| Erythronium albidum (White Trout Lily) | April May | White | .5' | .5-.75 | Shade | | Med Wet |
| Eupatorium maculatum (Spotted Joe Pye Weed) | July Aug Sept | Purple | 4-6' | 3-4' | Full | | Wet |
| Eupatorium perfoliatum (Boneset) | July Aug Sept | White | 2-4' | 1' | Full | Deer | Med Wet |
| Eupatorium purpureum (Sweet Joe Pye Weed) | July Aug Sept | Purple | 3-6' | 3-4' | Full Part | Deer | Med Wet |
| Filipendula rubra (Queen Of The Prairie) | June July Aug | Pink | 4-5' | 3-4' | Full | Deer | Med Wet |
| Galium boreale (Northern Bedstraw) | June July | White | 1-3' | 1-1.5' | Full Part | | Med Wet |
| Gentiana andrewsii (Bottle Gentian) | Aug Sept Oct | Blue | 1-2' | 1-1.5' | Full Part | Deer | Med Wet |
| Gentiana flavida (Cream Gentian) | Aug Sept | White | 3' | 1-1.5' | Full | Deer | Dry Med |
| Gentianopsis crinita (Fringed gentian) | Aug Sept Oct | Blue | 1' | 1-2' | Full | Deer | Med Wet |
| Geranium maculatum (Wild Geranium) | April May June | Pink Purple | 2' | 1-1.5' | Full Part Shade | Deer Rabbit | Med |
| Geum triflorum (Prairie Smoke) | April May | Pink Red | 1' | .5-1' | Full | Deer Rabbit | Dry Med |
| Helenium autumnale (Sneezeweed) | Aug Sept Oct | Yellow | 3-5' | 2-3' | Full | Deer | Med Wet |
| Helianthus divaricatus (Woodland Sunflower) | July Aug Sept | Yellow | 2-5' | 1-3' | Part | | Dry Med |
| Helianthus occidentalis (Western Sunflower) | Aug Sept | Yellow | 3-4' | 1.5-2' | Full | | Dry Med |
| Hepatica acutiloba (Sharp-Lobed Hepatica) | March April | Pink Purple White | .5-.75 | .5' | Part Shade | | Med Wet |
| Heuchera richardsonii (Alumroot) | June July | Green | 1-2' | 1-1.5' | Full | | Dry Med |
| Hydrastis canadensis (Golden Seal) | April May | White | 1' | .75-1' | Full Part | | Dry Med |
| Hydrophyllum virginianum (Virginia Waterleaf) | May June | Purple White | 1-2' | 2-3' | Part Shade | Deer | Med Wet |
| Iris virginica var. shrevei (Blue Flag Iris) | June July | Blue | 2-3' | 1.5-2' | Full Part | Deer | Wet |
| Jeffersonia diphylla (Twinleaf) | April May | White | 1' | .5-.75 | Part | Deer | Med |



| Name | Bloom Period | Colors | Height | Spread | Sun | Tolerance | Water |
|---|--------------------|-------------|--------|--------|-----------------|-------------|---------|
| Justicia Americana (Water Willow) | July Aug | Pink Purple | 2-3' | | Full | | Wet |
| Lespedeza capitata (Round-Headed Bushclover) | Aug Sept | Green White | 2-4' | 1-2' | Full Part | Deer | Dry Med |
| Liatris aspera (Rough Blazing Star) | Aug Sept | Purple | 2-3' | 1' | Full | Deer | Dry Med |
| Liatris ligulistylis (Meadow Blazing Star) | Aug Sept Oct | Purple | 3-5' | 1-2' | Full | | Med |
| Liatris pycnostachya (Prairie Blazing Star) | July Aug | Purple | 3' | 1-2' | Full | Deer | Med Wet |
| Liatris spicata (Marsh Blazing Star) | July Aug Sept | Purple | 3-5' | 1-2' | Full | Deer | Med Wet |
| Lillium michiganense (Michigan Lily) | June July | Orange | 4-6' | 1-2' | Full Part | | Med Wet |
| Lobelia cardinalis (Cardinal Flower) | July Aug Sept | Red | 3' | 1-2' | Full Part | Deer Rabbit | Med Wet |
| Lobelia siphilitica (Great Blue Lobelia) | July Aug Sept | Blue | 2-3' | 1-1.5' | Full Part | Deer Rabbit | Med Wet |
| Lupinus perennis (Wild Lupine) | May June July | Purple | 1-2.5' | .5-1' | Full Part | | Dry |
| Lysimachia quadriflora (Prairie Loosestrife) | July Aug | Yellow | 1-3' | 1-2' | Full | | Wet |
| Lythrum alatum (Winged Loosestrife) | June July Aug Sept | Purple | 2-3' | 2-3' | Full | | Wet |
| Mertensia virginica (Virginia Bluebells) | April May | Blue | 1-2.5' | 1-1.5' | Part | Deer | Med |
| Mimulus ringens (Monkey Flower) | June July Aug Sept | Blue Purple | 1-3' | .75-1' | Full Part | Deer Rabbit | Wet |
| Monarda fistulosa (Wild Bergamot) | July Aug Sept | Purple | 2-4' | 2-3' | Full Part | Deer Rabbit | Dry Med |
| Oenothera pilosella (Prairie Sundrops) | May June | Yellow | 1-2' | 1-2' | Full | | Med Wet |
| Parthenium integrifolium (Wild Quinine) | July Aug | White | 2-4' | 1-2' | Full | | Med |
| Penstemon cobaea (Showy Beard Tongue) | May June July | Purple | 1-2' | 1-1.5' | Full Part | Deer | Dry |
| Penstemon digitalis (Foxglove Beard Tongue) | June July | White | 2-4' | 1.5-2' | Full Part | Deer | Med |
| Petalostemum candidum (White Prairie Clover) | July Aug | White | 1-2' | 1-1.5' | Full | | Med |
| Petalostemum purpureum (Purple Prairie Clover) | July Aug | Purple | 1-3' | 1-2' | Full | | Dry Med |
| Phlox divaricata (Blue/Woodland Phlox) | April May | Blue | 1-1.5' | .75-1' | Part Shade | Deer | Med |
| Phlox pilosa (Prairie Phlox) | May June July | Pink | 1-2' | 1-1.5' | Full Part | | Dry Med |
| Physostegia virginiana (Obedient Plant) | July Aug Sept | Pink Purple | 3-4' | 2-3' | Full Part | Deer | Med Wet |
| Podophyllum peltatum (Mayapple) | May June | White | 1-1.5' | .75-1' | Part Shade | Deer | Med |
| Polemonium reptans (Jacob's Ladder) | April May June | Blue | 1' | 1' | Full Part Shade | Deer Rabbit | DMW |
| Polygonatum canaliculatum (Smooth Solomon's Seal) | May June | White | 2-4' | 1-2' | Full Part | | Med |



| Name | Bloom Period | Colors | Height | Spread | Sun | Tolerance | Water |
|---|--------------------------------|--------------|--------|--------|------------|-------------|---------|
| Potentilla arguta (White Prairie Cinquefoil) | July Aug | White | 1-3' | 1-1.5' | Full | Deer | Dry |
| Prenanthes alba (Glaucus white lettuce) | Aug Sept Oct | Purple White | 2-5' | 2 feet | Part Shade | | Med |
| Pycnanthemum virginianum (Common Mountain Mint) | July Aug Sept | White | 2-3' | 1-1.5' | Full | Deer | DMW |
| Ratibida pinnata (Yellow Coneflower) | July Aug | Yellow | 2-5' | 1.5-2' | Full | Deer | DMW |
| Rudbeckia hirta (Black-Eyed Susan) | July Aug Sept | Yellow | 1-3' | 1-2' | Full | Deer | Dry Med |
| Rudbeckia laciniata (Wild Golden Glow) | July Aug Sept | Yellow | 2-9' | 1-3' | Full Part | Deer | Med |
| Rudbeckia subtomentosa (Sweet Black-Eyed Susan) | July Aug | Yellow | 3-6' | 1-2' | Full Part | Deer | Med Wet |
| Rudbeckia triloba (Brown-Eyed Susan) | July Aug Sept | Yellow | 2-5' | 1-3' | Full Part | Deer | Med |
| Ruellia humilis (Wild Petunia) | June July Aug | Purple | .5-2' | 1' | Full Part | Deer Rabbit | Dry Med |
| Sagittaria latifolia (Common Arrowhead) | July Aug Sept | White | 1-3' | 2 feet | Full Part | | Wet |
| Sanguinaria canadensis (Bloodroot) | April March - March-May May | White | .5-1' | .5' | Part Shade | | Med |
| Silene regia (Royal Catchfly) | July Aug | Red | 2-4' | 1.5-2' | Full | | Dry Med |
| Silene stellata (Starry Champion) | June July | White | 1.5-2' | .75-1' | Part | | Dry Med |
| Silphium integrifolium (Rosin Weed) | July Aug Sept | Yellow | 2-6' | 1-3' | Full | | Dry Med |
| Silphium laciniatum (Compass Plant) | July Aug Sept | Yellow | 3-10' | 1.5-3' | Full | | Dry Med |
| Silphium perfoliatum (Cup Plant) | July Aug Sept | Yellow | 3-8' | 2-3' | Full Part | | Med Wet |
| Silphium terebinthinaceum (Prairie Dock) | July Aug Sept | Yellow | 3-10' | 1-3' | Full | | Med |
| Sisyrinchium albidum (Common Blue Eyed Grass) | May June | Blue | .5-1' | 1' | Full Part | | Dry Med |
| Smilacina racemosa (False Solomon's Seal) | May June | White | 1-3' | 1-2' | Full Part | | Med |
| Smilacina stellata (Starry Solomon's Seal) | May June | White | 1-2' | 2' | Full Part | | Med |
| Solidago caesia (Blue-stemmed Godenrod) | Aug Sept Oct | Yellow | 3' | 1' | Part Shade | | Dry Med |
| Solidago flexicaulis (Zig-Zag Goldenrod) | Aug Sept Oct | Yellow | 1-3' | 1-3' | Full Part | Deer | Med Wet |
| Solidago riddellii (Riddell's Goldenrod) | Aug Sept Oct | Yellow | 3' | 2' | Full | Deer | Med |
| Solidago rigida (Stiff Goldenrod) | Aug Sept Oct | Yellow | 1-3' | 1.5-2' | Full | Deer | DMW |
| Solidago speciosa (Showy Goldenrod) | Aug Sept Oct | Yellow | 1-3' | 1-3' | Full | Deer | Dry Med |



| Name | Bloom Period | Colors | Height | Spread | Sun | Tolerance | Water |
|--|--------------------|-------------|--------|----------|------------|-------------|---------|
| Stylophorum diphyllum (Celandine Poppy) | April May June | Yellow | 1' | .75-1' | Part Shade | Deer | Med |
| Tradescantia ohiensis (Spiderwort) | May June July | Blue | 2-4' | 1.5-2.5' | Full Part | Deer | Dry Med |
| Trillium erectum (Purple Trillium) | April May June | Purple | .75-2' | .75-1' | Part Shade | | Med |
| Trillium grandiflorum (Large-Flowered Trillium) | April May June | White | 1-1.5' | .75-1' | Part Shade | | Med |
| Trillium luteum (Yellow Trillium) | April May June | Yellow | 1-1.5' | 1-1.5' | Part Shade | | Med |
| Trillium recurvatum (Prairie or Red Trillium) | April May June | Purple | 1-1.5' | .75-1' | Part Shade | | Med |
| Uvularia grandiflora (Bellwort) | April May June | Yellow | 1.5-2' | 1-1.5' | Part Shade | | Med |
| Verbena hastata (Blue Vervain) | July Aug Sept | Blue | 2-6' | 1-2.5' | Full Part | Deer | Med Wet |
| Verbena stricta (Hoary Vervain) | June July Aug Sept | Blue Purple | 1-3' | 1.5-2' | Full Part | | Dry Med |
| Vernonia fasciculata (Ironweed) | July Aug Sept | Purple | 3-5' | 1.5-3' | Full Part | | Med Wet |
| Veronicastrum virginicum (Culver's Root) | June July Aug | White | 2-5' | 1-3' | Full Part | Deer | Med Wet |
| Viola pedatifida (Prairie Violet) | April May June | Purple | .5' | .5' | Full Part | Deer Rabbit | Dry Med |
| Viola sororia (Blue Violet) | April May June | Purple | .5-.75 | .5-.75 | Full Part | Deer Rabbit | Med |
| Zizia aptera (Heart-Leaved Meadow Parsnip) | April May June | Yellow | 1-3' | 1-1.5' | Full Part | Deer | Dry Med |
| Zizia aurea (Golden Alexander) | April May June | Yellow | 1-3' | 3-4' | Full Part | | Med |
| GRASSES AND SEDGES | | | | | | | |
| Andropogon gerardii (Big Bluestem) | | | 4-8' | | Full | | Med |
| Bouteloua curtipendula (Side-Oats Grama) | | | 2-3' | | Full | | Dry Med |
| Buchloe dactyloides (Buffalo Grass) | | | | | Full | | Dry Med |
| Calamagrostis canadensis (Blue joint grass) | June July Aug | Green | 3-6' | 3 feet | Full Part | | Med Wet |
| Carex aquatilis (Water Sedge) | | | 2-5' | | Part | Deer Rabbit | Wet |
| Carex cristatella (Crested oval sedge) | June | Brown | 3' | 1.5-2' | Full Part | | Med Wet |
| Carex frankii (Bristly Cattail Sedge) | | | 2' | | Full Part | Deer Rabbit | Med Wet |
| Carex grayi (Common Bur Sedge) | | | 2-3' | | Part Shade | Deer Rabbit | Med Wet |
| Carex hystericina (Porcupine (Or Bottlebrush) Sedge) | | | 1-3' | | Part | Deer Rabbit | Wet |
| Carex muskingumensis (Palm Sedge) | | | 2-3' | | Full Part | Deer Rabbit | Med Wet |



| Name | Bloom Period | Colors | Height | Spread | Sun | Tolerance | Water |
|---|---------------|--------|--------|--------|------------|-------------|-----------|
| Carex pellita (Woolly Sedge) | | | 1-2.5' | | Full Part | Deer Rabbit | Wet |
| Carex pennsylvanica (Penn Sedge) | | | .5' 6" | | Part Shade | Deer Rabbit | Dry Med |
| Carex plantaginea (Plantain-Lvd Sedge) | | | 1' | | Part Shade | Deer Rabbit | Med |
| Carex rosea (Curly Wood Sedge) | | | 1.5' | | Part Shade | Deer Rabbit | Dry Med |
| Carex sprengeii (Long-Beaked Sedge) | | | 2' | | Part Shade | Deer Rabbit | Med Wet |
| Carex trichocarpa (Hairy-Fruited Lake Sdg) | | | 3-4' | | Full Part | Deer Rabbit | Wet |
| Carex vulpinoidea (Brown Fox Sedge) | | | 2-3' | | Full Part | Deer Rabbit | Med Wet |
| Chasmanthium latifolium (Northern Sea Oats) | | | 2-3' | | Part Shade | Deer Rabbit | Med Wet |
| Elymus villosus (Silky Wild Rye) | | | 1-3' | | Part Shade | Deer Rabbit | Med |
| Eragrostis spectabilis (Purple Love Grass) | Aug Sept | Red | 1.5-2' | 1-1.5' | Full | | Dry |
| Hierochloe odorata (Sweet Grass) | | | 1-2' | | Full Part | Deer Rabbit | Med Wet |
| Hystrix patula (Bottlebrush Grass) | | | 2-5' | | Part | Deer Rabbit | Dry Med |
| Koeleria cristata (June Grass) | | | 2' | | Full | Deer Rabbit | Dry |
| Panicum leibergii (Prairie Panic Grass) | | | 2' | | Full | Deer Rabbit | Dry Med |
| Panicum virgatum (Switch Grass) | | | 3-5' | | Full Part | Deer Rabbit | D Med Wet |
| Schizachyrium scoparium (Little Bluestem) | | | 2-3' | | Full Part | Deer Rabbit | Dry Med |
| Scirpus cyperinus (Wool Grass) | July Aug | Brown | 3-5' | 3 feet | Full | | Wet |
| Sorghastrum nutans (Indian Grass) | | | 5-7' | | Full | Deer Rabbit | Dry Med |
| Sparganium eurycarpum (Great Bur Reed) | June July Aug | White | 4-5' | 1-2' | Full | | Wet |
| Sporobolus heterolepis (Prairie Dropseed) | | | 2-3' | | Full | Deer Rabbit | Dry Med |

